

2MP TVI 16 Channel DVR

Product Images



Short Description

SKU: TVI-DVR2MP-16

- Up to 1080p Resolution
- Records up to 16 Cameras
- HD over Coax
- Advanced Analytics

- Easy Setup
- Smart Phone Access
- Free Support
- 3 Year Warranty

Additional Information

Operating System	Embedded Linux
System Resources	Pentaplex function: live, recording, playback, backup and remote access
Control Mode	Front Panel, USB Mouse, Network
Outgoing Bitrate	80 Mbps
Max User Accounts	32
Max Remote Connections	128
Video Compression	H.264
Max Channels	16
Two-way Audio Input	1-ch, RCA (2.0 Vp-p, 1 kΩ)
Video Output	HDMI/VGA
Display Resolutions	1-ch, resolution: 1920 x 1080P /60 Hz ,1600 x 1200 /60 Hz, 1280 x 1024 /60 Hz, 1280 x 720 /60 Hz, 1024 x 768 /60 Hz
Max Local Live View	16 (per page)
CVBS output	Yes
Encoding Resolution	1080P
Max Frame Rate	30FPS
Video Bitrate Min.	32 Kbps
Video Bitrate Max	6144 Kbps
Audio Output	1-ch, RCA (Linear, 600 Ω)
Audio Bitrate	16 Kbps
Dual-Stream	Support (Sub-stream at CIF / QCIF: 30fps)
Stream Type	Video, Video & Audio
Playback Resolution	1080P / 720P / VGA / WD1 / 4CIF / CIF / QVGA / QCIF
Playback Speed	Up to 128x (From Local Display)
Synchronous Playback	16-ch

SATA	2 SATA Interfaces
Capacity	Up to 8TB capacity for each disk
Max Onboard Storage	16TB
Network Interface	1 RJ-45 10 / 100 / 1000 Mbps self-adaptive Ethernet interface
Serial Interface	RS-485
USB Interface	1 x USB2.0 and 1 x USB 3.0
Power Supply	12V DC
Noise Level(dB)	50dB at fan level
NVR Power Consumption	30W
Working Temperature	14°F - 131°F
Working Humidity	10% ~ 90% (Non-Condensing)
Chassis	Standalone 1U chassis
Dimensions	12.4" x 9.1" x 1.8"
Alarm Inputs	None
Alarm Outputs	None
Product Warranty	3 Yr