

Doorstation - Video Intercom Camera with Access Control Functionality

Product Images



Short Description

- Video Intercom Function
- Access Control Function
- Card Readers Supported
- HD Video surveillance with high performance CMOS
- 12VDC
- Remotely unlocking and answer call via client or app

Additional Information

Camera Smart Features	Motion Detection
Image Sensor	1/3" Progressive Scan CMOS
Min. Illumination	Low Illumination
Lens Type	Fixed
Focal Length Fixed	Pinhole, f3.47mm, F2.5
Field of View Fixed	80° (Horizontal) x 44° (Vertical)
Face Recognition	25 Feet
Wide Dynamic Range	Digital WDR
Video Compression	H.264
H.264 Codec Profile	Main Profile
Max Resolution	720P @ 30FPS
Adjustable image Settings	Saturation, Brightness, Contrast, Sharpness.
Alarm Triggers	Motion detection, tampering alarm, network disconnect, IP address conflict, storage exception
Alarm Input	7
Alarm Output	4
Audio In	Intergrated Mic
Audio Out	Intergrated Speaker
Protocols	TCP/IP, HTTP, DHCP, DNS, DDNS, RTP, RTSP, PPPoE, SMTP, NTP, SNMP, HTTPS, FTP, 802.1x, Qos (SIP, SRTP, IPv6 optional)
Interoperability	No
Security	Flicker less, heartbeat, mirror, user authentication, video mask, watermark
Communication Interface	1 RJ45 10 M / 100 M Ethernet interface
Operating Conditions	-30° C to 50° C (-22° F to 122° F)
Power Supply	12 VDC±10%
Power Consumption	Max 15W

Impact Rating	No
Weather Proof Rating	IP66
Dimensions	16.5" x 5.7" x 2.4"
Weight	5.4 lbs
IR distance	20ft
Onboard Storage	None
Product Warranty	3 Yr