

Mobile Vehicle Exterior Turret Camera 1.3MP

Product Images



Short Description

SKU: VC-T1-EXT

- 1.3MP Progressive Scan CMOS.

- Up to 1280X960 @ 30FPS for real-time output
- 90 ft IR Max.
- Vandal-proof: IEC 60068-2-75 test, Eh, 50J; IK10,IP68
- Function: Heartbeat, mirror, watermark, etc
- IP68 protection level.
- PoE power supply is supportable

Additional Information

Camera Smart Features	Motion Detection
Image Sensor	No
Min. Illumination	0.01 lux @F1.2, AGC ON, 0 lux with IR
Shutter Time	1/30s ~ 1/100,000s
Lens Type	Fixed
Focal Length Fixed	2.8MM
Field of View Fixed	102°
Face Recognition	Not Applicable
Day & Night	IRC
Digital Noise Reduction	3D DNR
Wide Dynamic Range	Digital WDR
Video Compression	H.264
H.264 Codec Profile	Main Profile
Bitrate Min.	32 Kbps
Bitrate Max	8192 Kbps
Max Resolution	1280X960 @ 30FPS
Supported Resolutions	No
Adjustable image Settings	Saturation, Brightness, Contrast, Sharpness.
Backlight Compensation	Yes, Zone Configurable.
Network Storage	NAS
Alarm Triggers	Motion detection, tampering alarm, network disconnect, IP address conflict, storage exception
Alarm Input	No
Alarm Output	No
Audio In	No
Audio Out	No

Protocols	TCP/IP, HTTP, DHCP, DNS, DDNS, RTP, RTSP, PPPoE, SMTP, NTP, SNMP, HTTPS, FTP, 802.1x, Qos (SIP, SRTP, IPv6 optional)
Interoperability	ONVIF, PSIA, CGI
Security	Flicker less, heartbeat, mirror, user authentication, video mask, watermark
Communication Interface	1 RJ45 10 M / 100 M Ethernet interface
Operating Conditions	-40 °F ~ 167 ° F (-40°C~75°C) Humidity 90% or less (non-condensing)
Power Supply	12 VDC ± 10% , PoE (802.3af)
Power Consumption	Max. 9W
Weather Proof Rating	IP68 & IK10
Dimensions	No
Weight	No
IR distance	100ft
Onboard Storage	Built-in Micro SD/SDHC/SDXC card slot, up to 128 GB
Product Warranty	3 Yr