

## Mobile Vehicle Exterior Turret Camera 2MP

### Product Images

---



### Short Description

---

SKU: VC-T2-EXT

- 2MP Progressive Scan CMOS.
- Up to 1920X1080 @ 30FPS for real-time output
- IP68 and IK10 Rating
- Auto Electric Shutter
- up to 150ft IR range
- Dual Stream support
- Heater for demisting



## Additional Information

---

Camera Smart Features	Motion Detection
Image Sensor	1/3" Progressive Scan CMOS
Min. Illumination	0.01 lux @F1.2, AGC ON, 0 lux with IR
Shutter Time	1/30s ~ 1/100,000s
Lens Type	Fixed
Focal Length Fixed	2.8MM
Field of View Fixed	102°
Face Recognition	50 Feet
Day & Night	IRC
Digital Noise Reduction	3D DNR
Wide Dynamic Range	Digital WDR
Video Compression	H.264
H.264 Codec Profile	Main Profile
Bitrate Min.	32 Kbps
Bitrate Max	16384 Kbps
Max Resolution	1920X1080, 30FPS
Supported Resolutions	1920 × 1080, 1280 × 960, 1280 × 720
Adjustable image Settings	Saturation, Brightness, Contrast, Sharpness.
Backlight Compensation	No
Network Storage	NAS
Alarm Triggers	Motion detection, tampering alarm, network disconnect, IP address conflict, storage exception
Alarm Input	No
Alarm Output	No
Audio In	No
Audio Out	No

Protocols	No
Interoperability	No
Security	No
Communication Interface	No
Operating Conditions	-40 ° F ~ 158 ° F (-40°C~70°C) Humidity 90% or less (non-condensing)
Power Supply	12 VDC ± 10% , PoE (802.3af)
Power Consumption	Max. 9W
Weather Proof Rating	IP68 & IK10
Dimensions	6.45" x 4.83" x 2.57"
Weight	1.98 lbs
IR distance	150ft
Onboard Storage	None
Product Warranty	3 Yr