

Slingshot HD+ (with Intelligent Detection) 4MP Fixed Lens Turret Camera 2.8mm

Product Images



Short Description

- SKU: TF4MP-2-ID
- 4MP Resolution
- IP67
- 100ft EXIR Night Vision
- Intelligent Detection

- Vandal Proof
- Power Over Ethernet
- Supports 3 Streams
- 3 Year Warranty

Additional Information

Compatible Wall Mount Bracket	TFWMB-1
Camera Smart Features	No
Image Sensor	1/3" Progressive Scan CMOS
Min. Illumination	0.01 lux @F1.2, AGC ON, 0 lux with IR
Shutter Time	1/25s ~ 1/100,000s
Lens Type	Fixed
Focal Length Fixed	2.8MM
Field of View Fixed	102°
Face Recognition	50 Feet
Day & Night	IRC
Digital Noise Reduction	3D DNR
Wide Dynamic Range	True WDR 120dB
Video Compression	H.264 / MPEG4
H.264 Codec Profile	Main Profile
Bitrate Min.	32 Kbps
Bitrate Max	8192 Kbps
Max Resolution	2048X1536, 20FPS
Supported Resolutions	2048×1536, 1920 x 1080, 1280 x 960, 1280 x 720
Adjustable image Settings	Saturation, Brightness, Contrast, Sharpness.
Backlight Compensation	Yes, Zone Configurable.
Network Storage	NAS
Alarm Triggers	Motion detection, tampering alarm, network disconnect, IP address conflict, storage exception
Alarm Input	N/A
Alarm Output	N/A
Audio In	N/A

Audio Out	N/A
Protocols	TCP/IP, HTTP, DHCP, DNS, DDNS, RTP, RTSP, PPPoE, SMTP, NTP, SNMP, HTTPS, FTP, 802.1x, Qos (SIP, SRTP, IPv6 optional)
Interoperability	ONVIF, PSIA, CGI
Security	Flicker less, heartbeat, mirror, user authentication, video mask, watermark
Communication Interface	1 RJ45 10 M / 100 M Ethernet interface
Operating Conditions	(-22°F ~ 140 °F) Humidity 90% or less (non-condensing)
Power Supply	12 VDC ± 10% , PoE (802.3af)
Power Consumption	Max 8.5W
Weather Proof Rating	IP67
Dimensions	4.4" x 3.2"
Weight	1.5 lbs
IR distance	120ft
Onboard Storage	Built-in Micro SD/SDHC/SDXC card slot, up to 128 GB
Product Warranty	3 Yr